




TRUCK ▪ SCHOOL BUS ▪ AGRICULTURAL



**HEAVY DUTY EXHAUST
TOP SELLING PRODUCTS**



TOP SELLERS



TorcTite™ PREFORMED CLAMPS - LAP JOINT

P/N	SIZE	MATERIAL
9623	4"	BRIGHT 304 STAINLESS STEEL
9606	4"	ALUMINIZED STEEL
9624	5"	BRIGHT 304 STAINLESS STEEL
9607	5"	ALUMINIZED STEEL
9671	6"	BRIGHT 304 STAINLESS STEEL



TorcTite™ PREFORMED CLAMPS - BUTT JOINT

P/N	SIZE	MATERIAL
9692	4"	BRIGHT 304 STAINLESS STEEL
9680	4"	ALUMINIZED STEEL
9694	5"	BRIGHT 304 STAINLESS STEEL
9682	5"	ALUMINIZED STEEL



EasySeal™ FLATBAND EXHAUST CLAMPS

P/N	SIZE	MATERIAL
B300	3"	BRIGHT 304 STAINLESS STEEL
B312	3½"	BRIGHT 304 STAINLESS STEEL
B400	4"	BRIGHT 304 STAINLESS STEEL
B500	5"	BRIGHT 304 STAINLESS STEEL
B600	6"	BRIGHT 304 STAINLESS STEEL

EXTRA HEAVY DUTY CLAMPS ¾" U-BOLT 11 GAUGE SADDLE



*Welded Saddle

P/N	P/N ZINC	SIZE	BOX QTY
H300*	H300Z	3"	1
H314*	—	3¼"	1
H312*	—	3½"	1
H400*	H400Z	4"	1
H412*	—	4½"	1
H500*	H500Z	5"	1
H600*	H600Z	6"	1

HEAVY DUTY GUILLOTINE CLAMPS



P/N	P/N ZINC	P/N CHROME	SIZE	BOX QTY
T234	—	—	2¾"	1
T300	T300Z	—	3"	1
T314	—	—	3¼"	1
T312	T312Z	—	3½"	1
T400	T400Z	9486	4"	1
—	T412Z	—	4½"	1
T500	T500Z	9487	5"	1


HEAVY DUTY ¾" U-BOLT TRUCK CLAMPS



P/N	P/N ZINC	SIZE	BOX QTY
H300P	H300PZ	3"	1
H312P	H312PZ	3½"	1
H400P	H400PZ	4"	1
H412P	H412PZ	4½"	1
H500P	H500PZ	5"	1


ALUMINIZED 45° ELBOWS I.D.-O.D.

P/N ALUMINIZED	DIA.	LENGTH A-B	CENTERLINE RADIUS
10313	3"	7"-7"	6"
10314	3½"	8"-8"	7"
10736	4"	5"-5"	4"
10726	4"	6"-6"	6"
10315	4"	9¼"-9¼"	8"
10729	5"	7"-7"	8"
10730	5"	8"-8"	10"
10317	5"	12"-12"	8"




ALUMINIZED 90° ELBOWS O.D.-O.D.

P/N ALUMINIZED	DIA.	LENGTH A-B	CENTERLINE RADIUS
10337	3"	3"-3"	3½"
10339	4"	4½"-4½"	4½"
10781	4"	8"-8"	4"
10780	4"	7"-7"	5"
10539	4"	12"-12"	5½"
10340	5"	5½"-5½"	5½"
10785	5"	8½"-8½"	6"
10789	5"	9½"-9½"	6"
10541	5"	11"-16"	5½"
10791	5"	12"-12"	6"
10540	5"	15"-15"	8"




ALUMINIZED 45° ELBOWS O.D.-O.D.

P/N ALUMINIZED	DIA.	LENGTH A-B	CENTERLINE RADIUS
10564	3"	7"-7"	6"
10566	4"	8"-8"	4½"
10567	5"	8"-8"	5½"



ALUMINIZED 90° ELBOWS I.D.-O.D.

P/N ALUMINIZED	DIA.	LENGTH A-B	CENTERLINE RADIUS
10675	3"	8"-8 ¼"	6"
10756	3"	8 ½"-8 ½"	5"
10304	3"	14"-14"	6"
10795	3 ½"	6 ¼"-6 ¼"	3 ½"
10676	3 ½"	9"-9"	4 ½"
10759	3 ½"	9 ½"-9 ¾"	5"
10681	4"	8"-8"	4 ½"
10678	4"	10"-10"	4 ½"
10761	4"	12"-12"	6"
10306	4"	18"-18"	8"
10764	5"	8 ½"-8 ½"	6"
10557	5"	11"-11"	6"
10680	5"	11"-11"	7 ½"
10765	5"	15"-15"	8"
10554	5"	15"-15"	10"
10308	5"	18"-18"	10"
10556	6"	15"-15"	10"



PRE-CUT FLEX HOSE STYLE ID-ID

P/N STAINLESS	P/N GALVANIZED	DIA.	LENGTH
24677	24754	4"	18"
24836	24835	4"	24"
34673	34743	4"	36"
14737	—	5"	12"
24678	24755	5"	18"
24838	24837	5"	24"
34674	34744	5"	36"

ALUMINIZED OD - OD CONNECTOR

Connects I.D. pipes of the same size.



P/N	ID - ID	LENGTH
8972	4" - 4"	8"
8973	5" - 5"	8"

ALUMINIZED ID - ID CONNECTOR

Connects O.D. pipes of the same size.



P/N	ID - ID	LENGTH
14601	3" - 3"	6"
14602	3 ½" - 3 ½"	6"
14603	4" - 4"	6"
14605	5" - 5"	6"

ALUMINIZED ID - OD CONNECTOR

Connects I.D. and O.D. pipes of the same size.



P/N	ID - OD	LENGTH
8975	3" - 3"	6"
8991	4" - 4"	6"
8978	5" - 5"	6"

ALUMINIZED ID - ID REDUCER

Reduces O.D. pipes of different sizes.



P/N	ID - ID	LENGTH
8956	4" - 3"	6"
8957	4" - 3 ½"	8"
8958	5" - 4"	8"

ALUMINIZED ID - OD REDUCER

Reduces larger O.D. pipe to smaller I.D. pipe.



P/N	ID - OD	LENGTH
8963	4" - 3"	6"
8964	4" - 3 ½"	6"
8965	5" - 4"	6"

ALUMINIZED OD - ID REDUCER

Reduces larger I.D. pipe to smaller O.D. pipe.



P/N	OD - ID	LENGTH
9722	4" - 3"	6"
9332	4" - 3 ½"	6"
9331	5" - 4"	6"



FLEX TUBING 10 FOOT LENGTHS

P/N STAINLESS STANDARD THICKNESS	P/N ALUMINIZED HEAVY DUTY THICKNESS	P/N GALVANIZED HEAVY DUTY THICKNESS	ID
8885	8859	8986	3"
8886	8876	8987	3 ½"
8887	8856	8988	4"
8888	8857	8989	5"



FLEX TUBING 25 FOOT LENGTHS

P/N STAINLESS STANDARD THICKNESS	P/N GALVANIZED STANDARD THICKNESS	P/N GALVANIZED HEAVY DUTY THICKNESS	ID
8982	8875	8880	3"
8983	—	8881	3 ½"
8878	—	8882	4"
8879	—	8877	5"

TOP SELLERS



CENTER TO CENTER



OFFSET TO OFFSET



Fig. 1




Fig. 2

INLET/OUTLET POSITION

MUFFLERS

P/N	STYLE	STYLE/TYPE DESCRIPTION	INLET ID	OUTLET ID	INLET POSITION	OUTLET POSITION	FIG	INLET OFFSET	OUTLET OFFSET	CROSS SECTION	SHELL LENGTH	OVERALL LENGTH
3654	2	OFFSET TO OFFSET	2 1/2"	2 1/2"	12	6	1	1 13/32"	1 13/32"	6 5/8"	28"	35"
3618	1	CENTER TO CENTER	3 1/2"	3 1/2"	0	0	1	0	0	7"	14"	19 3/4"
3721	1	CENTER TO CENTER	3"	3"	0	0	1	0	0	6"	21"	30"
3716	2	OFFSET TO OFFSET	3 1/2"	4"	12	6	2	2 1/2"	2 1/2"	8 1/2" x 11"	30"	36 3/8"
3681	1	CENTER TO CENTER	4"	4"	0	0	1	0	0	9"	10 1/2"	16"
3871	1	CENTER TO CENTER	4"	4"	0	0	1	0	0	7"	22"	28"
3625	1	CENTER TO CENTER	4"	4"	0	0	1	0	0	8 1/2"	34 1/2"	40 1/4"
4227	1	CENTER TO CENTER	4"	4"	0	0	1	0	0	7"	36"	43"
3712	1	CENTER TO CENTER	4"	5"	0	0	1	0	0	9"	44 1/2"	51"
3640	1	CENTER TO CENTER	5"	5"	0	0	1	0	0	10"	44 1/2"	51"
3667	1	CENTER TO CENTER	5"	5"	0	0	1	0	0	9"	44 1/2"	51"
3699	1	CENTER TO CENTER	5"	5"	0	0	1	0	0	10"	44"	51"



BENDABLE ALUMINIZED STRAIGHT TUBING

PART NO.	O.D.	GAUGE	LENGTH
300A7514	3"	14	7.5'
312A1014	3 1/2"	14	10'
312A1016	3 1/2"	16	10'
400A1014	4"	14	10'
400A1016	4"	16	10'
400A1414	4"	14	14'
412A1016	4 1/2"	16	10'
500A1016	5"	16	10'
512A1016	5 1/2"	16	10'
600A1016	6"	16	10'
800A1016	8"	16	10'
1000A1016	10"	16	10'



ANGLED (ID) ANGLED (OD)

STACK PIPES - ANGLED

P/N	P/N	INLET DIA	LENGTH
ALUMINIZED	CHROME		
24346	—	4" OD	12"
24717	824720	4" ID	18"
24713	824718	4" OD	18"
24718	824723	5" OD	18"
—	824717	5" ID	18"
24672	824673	5" ID	20"
24750	824752	5" OD	24"
34724	834729	5" OD	36"
44667	844673	5" OD	48"
54726	854729	5" OD	60"

STACK PIPES - SQUARE CUT (ID)



P/N	P/N	INLET DIA	LENGTH
ALUMINIZED	CHROME		
34713	—	3" ID	36"
9599	—	3 1/2" ID	18"
24711	—	4" ID	18"
24737	—	4" ID	24"
34715	—	4" ID	36"
44656	—	4" ID	48"
54991	—	4" ID	60"
24712	—	5" ID	18"
24739	—	5" ID	24"
34716	834008	5" ID	36"
44658	—	5" ID	48"
54720	854009	5" ID	60"



RAIN CAPS

P/N	MATERIAL FINISH	MIN. O.D. SIZE
9373	POWDER COATING	3"
9375	POWDER COATING	4"
9377	POWDER COATING	5"
9369	POWDER COATING	6"
9573	CHROME	4"
9575	CHROME	5"
DSK555	T304 POLISHED STAINLESS	5"



EasySeal, Torca, TorcTite, and ValuSeal are registered trademarks of Torca Product, Inc.

300 Dixie Trail
 Goldsboro, NC 27530
 P. 919.580.2000 F. 919.580.2010

www.apexhaust.com

© 2012 AP Exhaust Technologies, Inc.
 All Rights Reserved Printed in USA